



TRACK S EIELD

Our range of track and field products is designed to meet the highest standards of performance and durability. From precision-engineered starting blocks to high-quality hurdles, each item is crafted to enhance athletes' training and competition experiences. Our products are suitable for various levels of use, from school sports programs to professional athletics, ensuring that every athlete has access to the best equipment available.







STEEPLECHASE HURDLE SYNTHETIC

- Made with a combination of synthetic material and an integrated aluminium core.
- The surface is more resistant to the puncture of the spike shoes, and it will not destroy the structure of the material.
- The height can be adjusted, and it is WA certified. Available in 2 options:

Length - 3.96m		Length - 5.00m	
Item Code	Options	Item Code	Options
FG10370SY	With	FG10370SY5M	With
FG10370SYSET	Base Support	FG10370SY5MSET	Base Support
FG10390SY	Without	FG10390SY5M	Without
FG10390SYSET	Base Support	FG10390SY5MSET	Base Support

^{*1} set of order comes with 4 pcs of hurdle.

PRODUCT PROFILE

Adjusted Height at : 76.20cm for women

: 91.40cm for men

Crossbar Measurement : 12.70cm Total Weight : 90kg





WATER DITCH HURDLE SYNTHETIC

Individual Item Code: FG10410SY


- Made with a combination of synthetic material and an integrated aluminium core.
- The height can be adjusted, and it is WA certified.

PRODUCT PROFILE

Adjusted Height at : 76.20cm for women

: 91.40cm for men

Crossbar Measurement : 12.70cm Total Length : 3.66m



WATER DITCH COVERING WITH RIM

Individual Item Code: FG10270

- Made from heavy-duty aluminium profiles.
- This is used to cover the water ditch pit when not in use.
- The rim allows the surface to be covered in the similar surface material as the surrounding.
- The cover parts are connected with tongue and groove joints.

PRODUCT PROFILE

Dimension: 3656mm x 3400mm x 45mm Weight: ~300kg



WATER DITCH KIT, SUPPLY SHAFT - RIGHT SIDE

Individual Item Code: FG10285R

- Made from extra sturdy aluminium profiles.
- Adjustable angle to match the thickness of the installed flooring system.
- Crossbars ensure correct alignment of the entire water ditch.
- Includes housing for the water valve to regulate the water level in the water ditch.

PRODUCT PROFILE

Dimension: 4440mm x 3832mm x 671mm Weight: ~250kg



UNDERFRAME FOR WATER DITCH COVER

Individual Item Code: FG10310

- Supports and holds the Water Ditch Cover (FG10270) in place.
- Made from aluminium and all parts can be adjusted horizontally and vertically according to the site condition.

PRODUCT PROFILE

Dimension : 2500mm x 624mm x 90mm Weight : ~40kg



COMPETITION HURDLE

Individual Item Code: FG10470

- WA certified and made from high grade aluminium profiles.
- Comes with a wooden crossbar as standard; plastic option available on request.
- The height can be adjusted with manual pin lock mechanism, the scale is placed in a groove.

PRODUCT PROFILE

Adjustable: 68.50cm | 76.20cm | 83.80cm Height at : 91.40cm | 99.10cm | 106.70cm



COMPETITION HURDLE ECO

Individual Item Code: FG10475

- WA certified and made from high grade aluminium profiles.
- Comes with a wooden crossbar as standard; plastic option available on request.
- The height can be adjusted with button and pin mechanism.
- Counterweight can be adjusted with slot mechanism, the scale is placed in a groove.

PRODUCT PROFILE

Adjustable: 68.50cm | 76.20cm | 83.80cm Height at : 91.40cm | 99.10cm | 106.70cm



STANDARD GROUND SOCKET FOR WATER DITCH HURDLE

Individual Item Code: FG10330

- Made from aluminium and designed to fit the square hollow profile of the hurdle.
- Features a soil compartment and can be welded to the kit when ordered together.

PRODUCT PROFILE

Insertion Length : 350mm Total Length : 400mm

Dimension: 80mm x 80mm



COMPETITION STARTING BLOCK

Individual Item Code: FG10550

- WA certified and it's made from aluminium.
- The block is fixed to the ground with spikes.
- The steps are covered with rubber and the angle is adjustable.

PRODUCT PROFILE

Overall Size: 1025mm x 352mm x 157mm Pedal Size: 165mm x 157mm x 141mm



*Total number of signs provided per lane depends on event setup.

RUNNING TRACK SIGNS

Individual Item Code: FG10790 (for 8 lanes)

: FG10810 (for 6 lanes)

- Made from aluminium and all signs are coloured based on PA regulations.
- The set consists of all required signs for all WA certified events.



Item Code	Option	Colour
FG10040	6-seats	
FG10080	12-seats	

FINISHING LINE JUDGES STAND

- Made from durable aluminium profiles with anti-slip surface.
- Equipped with 200mm TPU wheels for easy and track-safe transport.
- Available in 6- or 12-seat options, customizable up to 24 seats.
- Standard with plastic seats; alternative design without seats available.

*Contact our salesperson for any customization request.



TRANSPORT TROLLEY FOR STEEPLECHASE HURDLE

Individual Item Code: FG10400

- It is made from extra strong aluminium profiles.
- Provides space for one set of hurdles (4 pcs).
- It measures 4600mm x 1800mm x 396mm.
- Equipped with 200mm wheels to avoid track marks.



EQUIPMENT TROLLEY

Individual Item Code: FG10640

- Made from special aluminium profiles.
- Designed to support loads of up to 1 ton.
- It measures 2000mm x 1000mm.
- Fitted with heavy-duty castors for smooth mobility.
- Three fold-down sides allow easy loading and unloading.



TRANSPORT TROLLEY FOR 20 HURDLES


Individual Item Code: FG10520

- It is made from special aluminium profiles.
- Provides place for up to 20 hurdles.
- It is a side loading model.
- It measures 2000mm x 1250mm x 1210mm
- Equipped with 200mm wheels to avoid track marks.



TRANSPORT TROLLEY FOR STARTING BLOCK

- It is made from aluminium.
- Hold up to 8 starting blocks.
- It measures 1000mm x 913mm x 500mm.
- The trolley is equipped with 100mm wheels to avoid track marks.



LAP INDICATOR WITH BRASS BELL

Individual Item Code: FG10160

- Made from aluminium.
- It displays the numbers of laps remaining.
- The brass bell can be rung to indicate the last lap.

PRODUCT PROFILE

Dimension: 1840mm x 890mm x 500mm

Colour :









STARTER PODIUM WITH DISPLAY BOARD

Individual Item Code: FG10180

- It is made from aluminium.
- The base platform is made from a special double square hollow, round edges profile with an anti-slip surface.
- The podium is originally coated in blue. It also comes in a variety of colours.

PRODUCT PROFILE

Dimension: 1340mm x 800mm x 693mm


Colour:











TEAM WINNER PODIUM WITH NUMBERED 1, 2, 3

Item Code	Option	Description	Measurement	Step Height
FG10241	Classic	Made from aluminium profile.Powder coated.	240cm(l) x 80cm(w)	50cm
FG10251	PRO	 Disassemblable, made from extra sturdy aluminium profile. Powder-coated with EPDM rubber on top surface. 	600cm(l) x 60cm(w)	#3 - 30cm #2 - 40cm #1 - 50cm


Colour : • • • • • •













ALUMINIUM CURBING

• Made from special aluminium profiles.

• Serves as a mobile marker and separator for the running track.

PRODUCT PROFILE (size of 1 pcs of curbing)


Individual Item Code	Options
FG11251	Straight - 34 pcs

Individual Item Code	Options
FG11252	Curved - 46 pcs

Note: Custom cutting lengths and radius options compliant with WA regulations are available upon request.

If you're interested in purchasing our aluminium curbing for running tracks, they are available as a complete set with the following piece count and measurements. Customized sizes and quantity are also available to meet your specific needs.

Item Code	Set Comes With	Quantity
FG11260SET	Straight Curbing Curved Curbing Base cover 120mm Top cover 120mm Base cover with hole 60mm Base cover without hole 60mm 6mm Stainless steel pin Aluminium Socket for Stainless Steel Pin	34 pcs 46 pcs 90 pcs 90 pcs 250 pcs 500 pcs 250 pcs 250 pcs
FG11260 SETCUSTOM	Customizable as per request	/



END CAP ALUMINIUM CURBING

Individual Item Code: FG11265

- Made from special aluminium profiles.
- This cap is used to open ends of the aluminium curbing.



STARTING BOXES WITH FRP **SYSTEMS**

Individual Item Code: FG10580

- It is made from fibreglass-reinforced plastic.
- The boxes are stackable and include space for false start indicators.
- It measures 600mm x 560mm x 505mm.



RELAY RODS



Individual Item Code: FG10780

Item Code: FG10780SET (8pcs)

- Lightweight and durable.
- Provide a comfortable grip.
- Available in different colours.

PRODUCT PROFILE

Diameter: 4cm

Lengths: 30cm

Colour











FINISHING POST

Item Code: FG10200 (pair)

- It is made from aluminium.
- The post features a square base frame.
- It includes a mechanism to hold the finishing line.
- It measures 2785mm x 2492mm x 1400mm.
- Available in the colour selections below:










MOBILE DISPLAY BOARD

Individual Item Code: FG10110

- Provides clear visibility of results, lane numbers, or event details during track and field competitions.
- Mounted on wheels for easy mobility and quick positioning anywhere on the field.
- Sturdy aluminium frame ensures durability and long-term use.
- Large display panels with easy-to-read numbers for athletes, officials, and spectators. Simple to operate and maintain, supporting efficient event management.
- Comes with 8 number plates.



WIND CONTROL STAND

Individual Item Code: FG10621WH

- Made from aluminium profiles, this wind control stand is equipped with wind socks to indicate both wind speed and direction.
- Simple, sturdy design for reliable outdoor use.
- Easy to position near runways or jumping pits for clear visibility.



ATHLETIC BENCH

- Constructed from durable aluminium profiles for strength and longevity.
- Dimensions: 2.5m(l) × 2.1m(h) with seating capacity for 10 people.
- Collapsible roof for protection and space-saving storage.
- Safety-focused design with coat hooks positioned at the rear.
- Fitted with a handle and 2 oversized nylon wheels, allowing easy relocation by a single person.



STEEL MEASURING TAPE

- 13 mm steel tape with white coating for clear, precise measurements.
- Robust aluminium triangular frame with ergonomic handle.
- Smooth tape guidance, easy handling, and reliable accuracy (EC approved).
- Premium quality, made in Germany.
- Available in 3 options:

Individual Item Code	Options
FG11060	30m
FG11070	50m
FG11090	100m



DISPENSING SPOOL FOR PLASTIC MARKING TAPE

Individual Item Code: FG10930

- The tape is made from weatherproof PVC for reliable outdoor use.
- Comes with a practical plastic dispensing spool for easy handling.
- Keeps marking tape organized and tangle-free during setup.
- Tape width: 5cm | Total length: 60m




RUNNING TRACK DRYING MACHINE

- Specially designed foam-covered roller efficiently absorbs water and transfers it into a plastic bucket.
- Smooth operation in both forward and backward directions for easy use.
- User-friendly design enables operation by just one person.
- Overall width: ~80cm | Working width: ~58cm
- Weight: ~50kg | Water bucket capacity: ~17 litres.



Constructed from 6063-T5 grade aluminium, our pole vault and high jump equipment epitomize durability and precision engineering. Designed for professional performance, they ensure stability and reliability, enhancing the intensity of every competition.





POLE VAULT BOX

Individual Item Code: FG20290

- WA certified, the stainless steel box has a trapezoidal shape.
- The part towards the mat is reinforced to handle the pole's load.
- It includes a drainage system to remove excess water.



POLE VAULT INLAY

Individual Item Code: FG20310

- WA certified and made from aluminium.
- Matches and closes the pole vault box when not in use.
- Essential for runway areas shared with opposite pole vault facilities.
- The cover is delivered without rubber and can be coated on site.



WGR POLE VAULT STAND FREE STANDING & ADJUSTABLE



Individual Item Code: FG20010WGR

- WA certified and made from high-grade aluminium profiles.
- Sturdy design ensures easy handling and stability.
- Crossbar height can be adjusted from 1.8m to 6.5m with built-in mechanisms.
- Uprights can be locked with a brake, ensure final height adjustments on site.



POLE VAULT CROSSBAR PLACER

Individual Item Code: FG20110

- Adjustable Length Aluminium design, extendable from 3m to 5m, suitable for different pole vault heights.
- Lightweight & Durable Made from strong yet lightweight aluminium for easy handling and long-lasting use.
- Precision Placement Allows officials to position the crossbar accurately and safely at any height.




POLE RACK

Individual Item Code: FG20590


- Durable Construction Made from aluminium with a powder-coated frame for long-lasting performance.
- Practical Storage Provides organized space for vaulting poles.
- Portable Design Free-standing and easy to move; available in multiple colours.

Colour : ● ● ● ○



MANUAL POLE VAULT SCORE BOARD

- High Visibility Large, easy-to-read numbers for clear display across the field.
- Manual Operation Reliable, no power source required, ensuring consistent use in any environment.
- Durable Build Sturdy frame, typically made from aluminium, designed for outdoor conditions.
- Portable Design Lightweight and easy to move between events or locations.



POLE VAULT MAT COMPETITION (H)

Individual Item Code: FG20080

- WA certified and made from PU foam.
- The mat is covered in weatherproof and spike-proof material, with an additional wear and tear layer on top.
- Its hollow chamber design provides high elasticity and good air circulation.
- It includes a fully aluminium bar frame that raises the mat by 10cm to prevent water exposure.

Note: Customized sizes available upon request.

PRODUCT PROFILE

Dimension : $8.0 \text{m} \times 6.0 \text{m} \times 0.9 \text{m}$

Colour :











CROSSBAR

- WA certified and is made from fiber glass
- It is equipped with plastic caps at the ends to sit on the upright supports.

High Jump Crossbar		Pole Vault Crossbar	
Item Code	Length	Item Code	Length
FG20350	4.0m	FG20130	4.5m



HIGH JUMP STAND



Item Code	Height	Measurement	Height Adjustable
FG20510	2.5m	50mm x 50mm x 3mm	50cm to 250cm
FG20520	3.0m	50mm × 50mm × 3mm	50cm to 300cm


- WA certified and it is made from high grade aluminium profiles.
- All corners for this profile have round edges.
- All screws are made of stainless steel.



HEIGHT MEASURING DEVICE FOR HIGH JUMP

Individual Item Code: FG20250

- Measures high jump bar height accurately and consistently.
- Lightweight and durable construction for long-term use.
- Smooth sliding system makes height adjustment quick and easy.
- Stable base ensures steady positioning during measurement.
- Measures from 0.85m to 3.00m.



HEIGHT MEASURING DEVICE FOR POLE VAULT


- Measures pole vault accurately and consistently.
- Display unit contains two integral spirit levels, conveniently placed at eye level.
- Telescopic sections made of sturdy, rectangular-profile aluminium.
- Circular spirit level for vertical alignment;
 Longitudinal spirit level for horizontal alignment.
- Clamping screws allow extending sections to be locked in any position
- Measures from 1.53m to 8.00m.




SPIKE COVER FOR HIGH JUMP MAT

Item Code	Measurement	Description
FG20600SPK CVR	6.0m × 4.0m ×	Designed for FG20400
FG20600SPK CVRCUTOFF	0.7m	Designed for FG20400CUTOFF

- · Protects landing mat from spike damage during training and competition.
- Made from heavy-duty, spike-resistant material for long-lasting durability.
- · Easy to apply and remove, helping extend the lifespan of your high jump mat.







HIGH JUMP MAT

- WA certified and designed to fit upright stands in front of the corner.
- The layer is equipped with spike-proof material on both sides.
- It features a hollow chamber system for high elasticity and smooth air circulation which allows the athlete a safe landing.
- The modules are fully interchangeable with each other and the mat includes a rain cover and a full aluminium bar frame.
- Available in the colour selections below:

Colour :








Cut Off		Non-Cut Off	
Item Code	Dimension	Item Code	Dimension
FG20400CUTOFF	600cm x 400cm x 70cm	FG20400	600cm x 400cm x 70cm

Note: Customized sizes available upon request.



RAIN COVER FOR HIGH JUMP MAT

Item Code	Measurement	Description
FG20500RCVR	6.0m × 4.0m	Designed for FG20400
FG20500RCVR CUTOFF	x 0.7m	Designed for FG20400CUTOFF

- Made from water-proof PVC to prevent the mat from getting wet.
- The size can be customized to meet your specific preferences.
- Available in the colour selections below:


Colour :














- This safety cover is made from extra-strong aluminium profiles, ensuring both durability and a lightweight design for easy handling.
- Slightly sloped top surface prevents water accumulation.
- Come with handles, making it easy to maneuver.
- Equipped with 200mm wheels to avoid track marks.
- This safety cover also comes with a parking rail.
- The size can be customized to meet your specific preferences.
- Available in the colour selections below:

Colour : • • • • • •












Mobile Safety Cover for High Jump	
Item Code	Dimension
FG24040	6.50m × 4.50m × 1.15m





DISCUS RING DISMANTLE




Individual Item Code: FG30220DS

• It can be dismantled to save space and prevent damage.

PRODUCT PROFILE

Diameter: 2.50m



SHOT PUT RING DISMANTLE



Individual Item Code: FG30210DS

- It is designed for space saving and easy transport.
- It can be dismantled to save space and prevent damage.

PRODUCT PROFILE

Diameter: 2.135m



HAMMER INLAY RING FIBER-GLASS



Individual Item Code: FG30140

- It is made from fiber-glass and consists of 4 elements.
- The inlay ring reduces the discus ring diameter for hammer events.



HAMMER INLAY RING WOOD



- This two-section hammer throwing circle reduces the discus circle diameter to 2.135m.
- Made from weatherproof multiplex laminate with edges protected by special aluminium profiles.
- Hinges between the two sections are constructed from stainless steel.




SHOT PUT STOP BOARD SYNTHETIC



Individual Item Code: FG30440

- WA certified and made from synthetic material.
- It's arc-shaped design aligns with the inner edge of the shot put ring.
- It can be easily fixed to the ground with screws.



JAVELIN STOP BOARD

Individual Item Code: FG30460

- Made from aluminium with a 7cm wide arc and an inside diameter of 8m.
- The stop board is secured by spikes on the bottom and marks the end of the runway.



DISTANCE MARKER BOXES

- Made from fiberglass with a triangular shape and stackable design.
- It displays the number of the distance.

Item Code	Options	Details
FG31810	Set of 12 pieces	12m, 14m, 16m, 18m, 20m, 22m
FG31800	Set of 22 pieces	40m, 45m, 50m, 55m, 60m, 65m, 70m, 75m, 80m, 85m, 90m
FG31790	Individual unit	Choose your own distance



SHOT PUT RACK MOBILE

Individual Item Code: FG30350

- Made from aluminium with a sturdy construction welded in one-piece.
- The 100mm turning wheels improve handling and provides space for up to 10 shots.
- Available in the colour selections below:

Colour :

O









DISCUS RACK MOBILE

Individual Item Code: FG30370

- Made from aluminium with a sturdy construction welded in one-piece.
- The 100mm turning wheels improve handling and provides space for up to 14 discuses.
- Available in the colour selections below:

Colour : • • • • •









JAVELIN RACK MOBILE

Individual Item Code: FG30390

- Made from aluminium with a sturdy construction welded in one-piece.
- The 100mm turning wheels improve handling and provides space for up to 15 javelins.
- Available in the colour selections below:

Colour : • • • • •











HAMMER RACK MOBILE

Individual Item Code: FG30410

- Made from aluminium with a sturdy construction welded in one-piece.
- The 100mm turning wheels improve handling and provides space for up to 6 hammers.
- Available in the colour selections below:

Colour : ● ● ● ○











COMBINATION RACK MOBILE

Individual Item Code: FG30425

- Made from special aluminium profiles, equipped with two fixed and two swivelled castors. The diameter of the wheel is 100mm.
- It offers space for approximately 12 javelins, 14 discus, 8 hammers, and 16 shot puts.
- Available in the colour selections below:

Colour : • • • • • •











STANDARD GROUND SOCKET FOR DISCUS & **HAMMER CAGE**

- Made from aluminium and designed to fit the oval profile of the cage, with a non-coatable cover.
- Equipped with a compartment to manage soiling without affecting the post height.

Item Code	Cover Length	Insertion Length	Suitable for Cage
FG30090	500mm	450mm	FG30070
FG30100	850mm	800mm	FG30305 & FG30290

PRODUCT PROFILE

Oval Profile: 120mm x 100mm



DISCUS CAGE MODEL 4M - 6M

Individual Item Code : FG30070 - Fully welded

: FG30070DS - Dismantled

• Made from extra sturdy aluminium profiles.

Posts equipped with hinge and spacers to keep the net in position.

Complies with WA regulation.

PRODUCT PROFILE

Mesh Width : 45mm Wall Thickness of the Post : 3mm

Net Thickness: 5mm Post Cross Section: 120mm x 100mm

List of Loose Items

FG30070ACCS01: 6m post FG30070ACCS02: 4m post

FG30070ACCS03 : Crossbar for support on top length approx. 4.25m FG30070ACCS04 : Crossbar for support on top length approx. 3.713m

FG30070ACCS05: Ground anchor including eye bolt

FG30070ACCS06: Carabiner hook

FG30070ACCS07 : Steel cable length approx. 2m for overhang crossbar FG30070ACCS08 : Net discus cage 6m - 4m including pull up devices

FG30070ACCS09 : Fastening ropes

FG30070ACCS10 : Steel cable for front post 6m

Please note that different discus and hammer cage comprises of different items. You're advised to contact our sales representative and ask for a detailed TDS for items included in your orders.



DISCUS & HAMMER CAGE 7M - 10M (H) - WALK DRAW GATE

Individual Item Code: FG30305 - Fully welded: FG30305DS - Dismantled

- Extra sturdy aluminium profiles and made to withstand wind speed up to 20m/s.
- Equipped with hinge and guide rail.
- Easy net position adjustment and installation.
- Complies with WA regulation.

PRODUCT PROFILE

Mesh Width : 45mm Wall Thickness of the Post : 6mm

Net Thickness: 5mm Post Cross Section: 120mm x 100mm

List of Loose Items

FG30305ACCS01 : 7m post FG30305ACCS02 : 10m post

FG30305ACCS03 : 10m front post including fix equipment for guide rail

FG30305ACCS04: Nylon rollers

FG30305ACCS05 : Ground anchor included eye bolt

FG30305ACCS06: Fastening ropes (21m)

FG30305ACCS07: Fastening ropes for support rail (25m)

FG30305ACCS08 : Fastening ropes (16m)


FG30305ACCS09: Movable weight for door opening
FG30305ACCS10: Support bar for post support (4.25m)
FG30305ACCS11: Support bar for post support (2.90m)
FG30305ACCS12: Crossbar for net support (4.25m)
FG30305ACCS13: Crossbar for net support (2.90m)
FG30305ACCS14: Guide rail for hammer cage 30305

FG30305ACCS15 : Net for discus and hammer cage high 7m - 10m model 30305

FG30305ACCS16 : Steel cable (Ø8mm) FG30305ACCS17 : Winch for hammer cage

FG30305ACCS18 : Carabiner hook

Please note that different discus and hammer cage comprises of different items. You're advised to contact our sales representative and ask for a detailed TDS for items included in your orders.



DISCUS & HAMMER CAGE 7M - 10M (H)

Individual Item Code: FG30290 - Fully welded

: FG30290DS - Dismantled

• Made from extra sturdy aluminium profiles.

Posts equipped with hinge and spacers to keep the net in position.

PRODUCT PROFILE

Mesh Width : 45mm Wall Thickness of the Post : 3mm

Net Thickness: 5mm Post Cross Section: 120mm x 100mm

List of Loose Items

FG30290ACCS01: 10m post

FG30290ACCS02 : 9.54m post (attach to wagon)

FG30290ACCS03: 7m post FG30290ACCS04: Wagon (left) FG30290ACCS05: Wagon (right)

FG30290ACCS06: Gate

FG30290ACCS07: Hinge for gate

FG30290ACCS08: Ground anchor included eye bolt

FG30290ACCS09 : Fastening ropes (21m) FG30290ACCS10 : Fastening ropes (16m)

FG30290ACCS11 : Carabiner hook


FG30290ACCS12: Net for discus and hammer cage 7m - 10m model 30290

FG30290ACCS13 : Steel cable (11m Ø8mm)

FG30290ACCS14 : Nylon snap hook

Please note that different discus and hammer cage comprises of different items. You're advised to contact our sales representative and ask for a detailed TDS for items included in your orders.







INSTALLATION TROUGH FOR TAKE-OFF BOARD

- WA certified and made from aluminium.
- Tray installation allows synthetic material to fit flush with the boards, preventing spikes from catching on metal.
- Includes a distance board to maintain the shape of the through during installation.
- The installation through profile is cut approximately 13mm lower on both of the long sides.

Item Code	Length	Item Code	Length
FG40040	122cm x 34cm x 10cm	FG40030	122cm x 30cm x 10cm




TAKE-OFF BOARD ALUMINIUM & SYNTHETIC

- WA certified and made from an aluminium core with a synthetic finish.
- Equipped with stainless steel bolts for vertical adjustment and horizontal securing to prevent movement.
- Take-off area is replaceable, and the board can be locked in place to maintain its position.

Item Code	Length	Item Code	Length
FG40155	122cm x 34cm x 10cm	FG40155SY30	122cm x 30cm x 10cm


If the take-off board is worn and requires replacement, the replacement take-off area measures $200 \, \text{mm} \times 1220 \, \text{mm} \times 15 \, \text{mm}$.



BLANKING BEAM WITHOUT RUBBER

- Made from aluminium.
- Adjustable height with 6 stainless steel screws.
- Delivered without rubber and can be covered on site.


Item Code	Length
FG40010	122cm x 34cm x 10cm
FG40011	122cm x 34cm x 10cm (Lockable System)
FG40020	122cm x 30cm x 10cm



BLANKING BEAM WITH RUBBER

- Made from aluminium.
- Adjustable height with 6 stainless steel screws.
- Delivered with a rubber covering.

Item Code	Length	Item Code	Length
FG40290	122cm x 34cm x 10cm	FG40300	122cm x 30cm x 10cm



CONTROL STRIP

Individual Item Code: FG40090

: FG40110 (Plasticine for Control Strip)

- Made from synthetic material on an aluminium base.
- Provides space for plasticine inlays of equal thickness on each side.
- Allow exact setting of the 45-degree angle required by WA regulations.



ALUMINIUM SAND TRAP ECO

Individual Item Code: FG40430

- Made from special aluminium profiles with aluminium grates and a honeycomb rubber mat.
- Can be installed as a single or double row.
- No aluminium base, concrete must be installed at the site.




END CAP FOR ALUMINIUM SAND TRAP

Individual Item Code: FG40440

• End cap for aluminium sand trap.


PRODUCT PROFILE

Length: 100cm Width: 50cm



SAND PIT COVER

- Made from PVC-coated netting fibre and is spike-proof.
- It features a chain link seam for added durability and it weighs approximately 400g/sqm.
- It is custom-made to fit the exact size of the sand pit for optimal coverage.



Item Code	Description
FG40180	With chain link seam
Item Code	Length
FG40185	9050mm x 3050mm x 50mm (Aluminium)

Colour : (







ELASTIC CURBING COATED WHITE

- The elastic curbing with rubber padding is used as boundary for jumping pits and sand pits.
- It is made from concrete with EPDM rubber padding.
- The material is temperature-resistant from -30°C to >100°C.

PRODUCT PROFILE

Width: 60mm Height: 30mm

Item Code	Dimension	Item Code	Dimension
FG40350WH	100cm x 6cm x 40cm	FG40380WH	30cm x 30cm x
(straight)		(corner)	6cm x 30cm



MEASURING BOARD

- Made from white powder-coated aluminum and weatherproof panels with stripes on both sides.
- Delivered in 3 sections for easy transport and storage.

Item Code	Options	Dimension
FG40190	For Long Jump	3m - 9m
FG40200	For Triple Jump	13m - 19m



RAKE

• Use to loosen sand in the pit.

Item Code	Description	
FG40230	Made from steel with aluminium handle.	

• Use to level the surface of the sand.

Item Code	Description
FG40240	 Made from aluminium with handle. Level the sand surface to show landing point.



RUN UP MARKERS

Individual Item Code: FG40220

- Made from a single piece of welded aluminium.
- Used to mark the starting point for the run up.
- Available in the colour selections below:

Colour : ● ● ● ○



TAKE-OFF MARKER

- Made from aluminium and coated in white and black.
- The marker indicates the athlete's take-off point.

